



archlit reserves the right to make changes without prior notice. (07.09.2026)
ChriBa 3 Axiom Cove Direct extruded aluminum minimal design lighting fixture with remote drivers (max 20' from fixture). Powder-coated finish and diffuser for even illumination at highest lumen output. 1,250 lumens delivered per foot, 11 w/foot. Dimmable and non dimmable. Individual and runs assemblies. Developed for Armstrong Axiom Ceilings Direct Cove System

Chri3Axiom

ChriBa 3 Axiom

Acronym of model

Chri3Axiom -
Please add at beginning of spec

Lumen Output

35 - 3500 K 1260 lumen/foot 11 w/f
40 - 4000 K 1260 lumen/foot 11 w/f
2700 K and 3000 K available for special ordering
Consult factory for other color temperatures
Max 8' nominal length

Lighting Modules

- A - 1' nominal
- Use only as filler in runs
- B - 2' nominal
- C - 3' nominal
- D - 4' nominal
- E - 5' nominal
- F - 6' nominal
- G - 7' nominal
- H - 8' nominal

Finish

WH - White
BK - Black
CU - Custom Specify RAL color
set up charges apply

Dimming

- 4 - Dimmable 0-10v (4wires, 120 or 277 v)
- 1 - Non Dimmable 277v
- 0 - Non Dimmable 120v



Emergency


- 00 - No Emergency
- EM - Emergency module max. 4'


Notes:

Drivers are Remote.
Max distance to drivers 20'
CRI more than 90. McAdam 3 bin
archlit will produce submittals










Nominal foot	Individual module length	Intermediate Module length	End module length
1'	12-1/4"	12"	12-1/8"
2'	24"	23-3/4"	23-7/8"
3'	35-7/8"	35-5/8"	35-3/4"
4'	47-5/8"	47-3/8"	47-1/2"
5'	59-3/8"	59-1/8"	59-1/4"
6'	71-1/4"	71"	71-1/8"
7'	83"	82-3/4"	82-7/8"
8'	94-7/8"	94-5/8"	94-3/4"





Driver Boxes

