




archlit reserves the right to make changes without prior notice. (06.24.2026)

ChriBa 3 Grid, extruded aluminum minimal design lighting fixture with remote drivers (max 20' from fixture). Powder-coated finish and diffuser for even illumination at highest lumen output. 1,250 lumens delivered per foot, 11 w/foot. Dimmable and non dimmable.

ChBa3Gri
ChriBa 3 Grid

Acronym of model

ChBa3Gri -
Please add at beginning of spec

Lumen Output

35 - 3500 K 840 Lumens/foot 7.5 w/ f
35HO - 3500 K 1260 lumen/foot 11 w/f
40 - 4000 K 840 lumen/foot 7.5 w/ f
40HO - 4000 K 1260 lumen/foot 11 w/f
2700 K and 3000 K available for special ordering
Consult factory for other color temperatures
Max 8' nominal length with std output
HO max. length 5' nominal

Lighting Modules

B - Individual 2' nominal 23 1/2"
D - Individual 4' nominal 47 5/8"
F - Individual 6' nominal 71 1/2"

Finish

WH - White
BK - Black
CU - Custom Specify RAL color

set up charges apply

Dimming

4 - Dimmable 0-10v (4wires, 120 or 277 v)
1 - Non Dimmable 277v
0 - Non Dimmable 120v



Emergency


00 - No Emergency
EM - Emergency module max. 4'
Max nominal 4' with battery pack


Notes:


Drivers are Remote.
Max distance to drivers 20'
CRI more than 90. McAdam 3 bin













nom. ft	Individual module
2	23-1/2"
4	47-5/8"
6	71-1/2"







Driver Boxes

